

PRISM

ULTRA-STRONG

Thanks to its highly durable PC frame, the PRISM model offers excellent protection as well as great value for money.



OPTIONAL

Positive Seal Gasket
Ref. 1614407



22 g



1614401A • Clear Lens



1614402A • Smoke Lens



1614403A • Silver Flash Lens



1614404A • Bronze Lens








1614406A • Amber Lens

- + ULTRA LIGHTWEIGHT & RIMLESS POLYCARBONATE FRAME**
- + SINGLE PIECE 8 BASE, DISTORTION FREE LENS**
- + COMFORTABLE STRAIGHT TEMPLES**
- + UPPER BROW PROTECTION**
- + FULLY RECYCLABLE: ALL POLYCARBONATE FRAME WITH NO METAL PARTS**

bollé
SAFETY

PRISM

ULTRA-STRONG

MODEL	VERSIONS	PRODUCT CODE	LENS MARKING	FRAME MARKING	COATINGS
PRISM	 Clear	1614401A	Z87+	Z87+	Anti-scratch/Anti-fog
	 Smoke	1614402A	Z87+	Z87+	Anti-scratch/Anti-fog
	 Silver Flash	1614403A	Z87+	Z87+	Anti-scratch
	 Bronze	1614404A	Z87+	Z87+	Anti-scratch/Anti-fog
	 Amber	1614406A	Z87+	Z87+	Anti-scratch/Anti-fog
	Positive Seal Gasket	1614407	-	-	-

LENS MARKING

Z87+ Impact rated for Plano product - tested and approved to ANSI Z87.1-2010, American National Standards Institute's Standard for Eye and Face Protection.

LENSES

- 2mm polycarbonate
- 8 base curve
- Anti-scratch/Anti-fog coating on both sides of lens: Clear, Smoke, Bronze and Amber
- Anti-scratch on Silver Flash lens
- 99.9% UV 385 – Clear
- 99.9% UV 400 – Smoke, Silver Flash, Bronze and Amber

APPLICATIONS

- Driving
- Solar UV exposure
- Emergency response
- Rigging
- Assembly and production work

MAIN MARKETS

- Manufacturing
- Petrochemical
- Construction
- Government
- Mining
- Medical and dental
- Food industry

FRAME MARKING

Z87+ Impact rated for Plano product - tested and approved to ANSI Z87.1-2010, American National Standards Institute's Standard for Eye and Face Protection.

ANSI guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc. Maximum protection for glasses. Use for high speed particles at extreme temperatures.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

CHARACTERISTICS	
LENSES	PC - 2,2 mm - Curve 8
FRAME	PC
TEMPLES	PC
STRAP	Non applicable
FOAM	Non applicable
SPARE LENSES	No

Non-contractual pictures

26/04/2020

Bollé Safety AU Pty Limited
32-40 Fairchild Street
Heatherton VIC 3202
T: 1300 138 098
E: sales@bollesafety.com.au

Hong Kong Bollé Safety
818, 8/F, Ocean Centre, Harbour City,
5 Canton Road, Tsim Sha Tsui,
Kowloon, Hong Kong
T.: +852 2732 5038